Perioral petechiae and pulmonary haemorrhage, thinking outside the vacuum

Gail Davison ^{1,2}, Andrew Given,³ Clare Loughran,³ Josip Marjanovic,⁴ Elizabeth Dalzell²

¹Centre for Medical Education, Queen's University Belfast Faculty of Medicine Health and Life Sciences, Belfast, UK

²Children's Emergency Department, Royal Belfast Hospital for Sick Children, Belfast, UK

³General Paediatrics, Royal Belfast Hospital for Sick Children, Belfast, UK

⁴Radiology Department, Royal Belfast Hospital for Sick Children, Belfast, UK

Correspondence to
Dr Gail Davison;
gdavison05@qub.ac.uk

Accepted 7 December 2020

DESCRIPTION

A 3-month-old boy presented to the children's emergency department with respiratory distress, haemoptysis, and perioral petechiae (figure 1). He was pale and floppy, with tachypnoea, hypoxia (SpO₂ 84%), bilateral crepitations, and wheeze. His white cell count was mildly elevated ($20.5 \times 10^9/L$), and a chest X-ray (CXR) showed (figure 2) bilateral air-space opacification; a non-specific finding with differentials including oedema, infection, or haemorrhage.

His older brother subsequently admitted to holding a vacuum cleaner nozzle against his mouth, confirming the mechanism of injury and diagnosis of pulmonary haemorrhage. He required a short period of oxygen therapy and overnight admission. A thorough assessment revealed no social concerns and a repeat CXR 2 days later had improved.

A MEDLINE keyword search was completed using the following terms: "(vacuum cleaner* or hoover* or household vacuum*) adj10 (injur* or h?emoptysis or h?emorrhage*)". It revealed four relevant articles reporting 13 cases of vacuum cleaner inflicted hand

burns in children and 2 auto-stimulation penile injuries in adolescents.¹⁻⁴ There were no acute lung injuries reported.

For most households, a domestic vacuum cleaner is an essential appliance frequently used by both parents and children and actively promoted as a comforter. To date, injuries have been relatively minor. We present the first case of severe and potentially life-threatening acute lung injury from this appliance.

Learning points

- ▶ Paediatricians, manufacturers, and parents should be aware of the risk of vacuum cleaner inflicted pulmonary haemorrhage in young children.
- ▶ Manufacturers should display a child safety warning on vacuum appliances.
- ▶ Parents should keep vacuum appliances out of reach of children to reduce risk in the home.

Twitter Gail Davison @GailDavison9

Contributors All authors read and approved the final manuscript. GD provided study conceptualisation and design, completion of relevant searches and preparation of manuscript including figures. AG provided study conceptualisation and design, and preparation of manuscript. CL provided study conceptualisation and design, including critical revision. JM provided study conceptualisation and design, including critical revision. ED provided study conceptualisation and design, including critical revision.

Funding The authors have not declared a specific grant for this research from any funding agency in the public, commercial or not-for-profit sectors.

Competing interests None declared.

Patient consent for publication Parental/guardian consent obtained.

Provenance and peer review Not commissioned; externally peer reviewed.

ORCID iD

Gail Davison <http://orcid.org/0000-0003-4875-8331>

REFERENCES

- 1 Benson RC. Vacuum cleaner injury to penis: a common urologic problem? *Urology* 1985;25:41-4.
- 2 Macgregor D. Hand injuries in young children from contact with vacuum cleaners. *Emerg Med J* 2002;19:80-1.
- 3 Marchalik R, Rada EM, Albino FP, et al. Upper extremity friction burns in the pediatric patient: a 10-year review. *Plast Reconstr Surg Glob Open* 2018;6:e2048.
- 4 Grob M, Josty IC, Soldin MG, et al. Paediatric friction hand injuries caused by domestic vacuum cleaners-a review from one unit. *Burns* 2003;29:714-6.

Figure 1 A 3-month-old boy with circular petechiae around his mouth, caused by application of a domestic vacuum cleaner.

Figure 2 CXR of a 3-month-old showing diffuse bilateral air-space opacification, in-keeping pulmonary haemorrhage inflicted by perioral application of a domestic vacuum cleaner.

© BMJ Publishing Group Limited 2021. No commercial re-use. See rights and permissions. Published by BMJ.

To cite: Davison G, Given A, Loughran C, et al. *BMJ Case Rep* 2021;14:e240282. doi:10.1136/bcr-2020-240282

Copyright 2021 BMJ Publishing Group. All rights reserved. For permission to reuse any of this content visit <https://www.bmj.com/company/products-services/rights-and-licensing/permissions/>
BMJ Case Report Fellows may re-use this article for personal use and teaching without any further permission.

Become a Fellow of BMJ Case Reports today and you can:

- ▶ Submit as many cases as you like
- ▶ Enjoy fast sympathetic peer review and rapid publication of accepted articles
- ▶ Access all the published articles
- ▶ Re-use any of the published material for personal use and teaching without further permission

Customer Service

If you have any further queries about your subscription, please contact our customer services team on +44 (0) 207111 1105 or via email at support@bmj.com.

Visit casereports.bmj.com for more articles like this and to become a Fellow