Images in...

Osteomalacia with severe thoracic and spondylous deformity complicated by osteoporosis

Fumiko Yokota,¹ Tsutomu Yamada,¹ Chinatsu Matsunaga,¹ Hiroko Okazaki,¹ Takashi Tominaga,¹ Yuko Yambe,¹ Yasuhisa Kato,¹ Yoriko Funahashi,² Atsushi Suzuki³

¹Department of Endocrinology and Diabetes, Nagoya Medical Center, Nagoya, Japan;

²Department of Respiratory Medicine, Nagoya Medical Center, Nagoya, Japan;

³Division of Endocrinology and Metabolism, Department of Internal Medicine, Fujita Health University, Toyoake, Japan

Correspondence to Dr Tsutomu Yamada, yamadat@nnh.hosp.go.jp

DESCRIPTION

A 60-year-old woman was admitted to our emergency department with respiratory distress. Her thorax had undergone gradual deformation over the past 3 years during which time she had refused to seek medical intervention. Her ADL (activities of daily living) had been full and she had worked as a dancing instructor before her thorax began to change shape. On admission, she was alert, but had severe dyspnoea with low arterial oxygen saturation. Chest x-ray, CT (figure 1) and three-dimensional CT reconstruction images (figure 2) revealed severe thoracic deformity. Serum biochemistry showed increased serum levels of alkaline phosphatase (1289 IU/l; normal 115–359 IU/l), intact parathyroid hormone (858 pg/ml; normal 10–65 pg/ml) and brain natriuretic peptide (1481 pg/ml; normal 0–18 pg/ml) in addition to low levels of calcium (7.9 mg/dl; normal 8.7–10.3 mg/dl), 1,25-(OH)₂ Vit D (7.0 pg/ml; normal 20–60 pg/ml) and 25-(OH) Vit D (<5 ng/ml; normal 7–41 ng/ml). Bone mineral density, expressed as T-score, was decreased significantly (lumbar spine (L2–L4) - 6.8; total hip - 7.31). The patient was diagnosed with

osteomalacia associated with respiratory and cardiac failure. She remained unresponsive to alfacalcidol treatment and non-invasive positive-pressure ventilation and died 1 month after admission. As this patient's history included anorexia nervosa in later childhood and ovarian resection 12 years ago, we consider she had osteoporosis before development of the thoracic deformation. Various factors may cause vitamin D insufficiency and osteomalacia. These include a lack of vitamin D intake or absorption, lack of ultraviolet (UV) irradiation, drug-induced or oncogenic changes, chronic renal failure and acidosis.^{1 2} She followed a strict vegetarian diet and was conscious of UV protection. In addition, due to an injury of the urinary duct during an ovarian operation her right kidney had lost function, and owing to lowering of ADL she had an inclination to stay indoors. These factors appeared to have contributed to the onset of osteomalacia and severe thoracic deformity. Previous reports have described osteomalacia with thoracic deformity,³ although the current case is rare as it was associated with severe respiratory insufficiency, caused by various different factors complicated by osteoporosis.

Figure 1 Chest x-ray (A) and CT (B) revealed severe thoracic deformity.

Figure 2 Three-dimensional CT reconstruction images showed costal protrusion and striking posterior curvature of the thoracic spine.

Competing interests None.

Patient consent Obtained.

REFERENCES

1. **Thacher TD**, Clarke BL. Vitamin D insufficiency. *Mayo Clin Proc.* 2011;**86**:50–60.
2. **Yamamoto T**. Secondary osteoporosis UPDATE. Osteomalacia. *Clin Calcium* 2010;**20**:684–8.
3. **Bando H**, Hashimoto N, Hirota Y, *et al.* Severe hypophosphatemic osteomalacia with Fanconi syndrome, renal tubular acidosis, vitamin D deficiency and primary biliary cirrhosis. *Inter Med* 2009;**48**:353–8.

This pdf has been created automatically from the final edited text and images.

Copyright 2011 BMJ Publishing Group. All rights reserved. For permission to reuse any of this content visit <http://group.bmj.com/group/rights-licensing/permissions>.
BMJ Case Report Fellows may re-use this article for personal use and teaching without any further permission.

Please cite this article as follows (you will need to access the article online to obtain the date of publication).

Yokota F, Yamada T, Matsunaga C, Okazaki H, Tominaga T, Yambe Y, Kato Y, Funahashi Y, Suzuki A. Osteomalacia with severe thoracic and spondylous deformity complicated by osteoporosis. *BMJ Case Reports* 2011;10.1136/bcr.04.2011.4127, date of publication

Become a Fellow of BMJ Case Reports today and you can:

- ▶ Submit as many cases as you like
- ▶ Enjoy fast sympathetic peer review and rapid publication of accepted articles
- ▶ Access all the published articles
- ▶ Re-use any of the published material for personal use and teaching without further permission

For information on Institutional Fellowships contact consortiasales@bmjgroup.com

Visit casereports.bmj.com for more articles like this and to become a Fellow