Cerebral venous sinus thrombosis during superselective intra-arterial infusion of cisplatin and concomitant radiotherapy for maxillary squamous cell carcinoma

Shun Okamura,¹ Yuki Saito,¹ Harushi Mori,² Tatsuya Yamasoba¹

¹Otolaryngology-Head and Neck Surgery, University of Tokyo, Bunkyo-ku, Tokyo, Japan
²Radiology, University of Tokyo, Bunkyo-ku, Tokyo, Japan

Correspondence to

Dr Shun Okamura,
we_have_silver_lining@yahoo.
co.jp

Accepted 1 May 2017

DESCRIPTION

A 67-year-old man was referred to our department because of epistaxis. CT demonstrated that a mass had destroyed the posterior bony wall of the left paranasal sinus. Histopathological examination revealed squamous cell carcinoma of the maxillary sinus, and clinically staged T4aN0M0 was diagnosed. MRI showed no thrombus in the brain blood vessels.

The initially planned treatment consisted of seven courses of intra-arterial infusion (IA) of weekly cisplatin (100 mg/m²) with intravenous detoxification by sodium thiosulfate and concomitant radiotherapy (RT) (total 70 Gy).¹ CT angiography revealed that the maxillary and facial arteries were feeding the tumour. After four courses of IA, MRI and CT (figure 1A) were performed for an interim evaluation. Although the size of the tumour was significantly reduced, cerebral venous thrombus was present in the left transverse sigmoid sinus and interrupted the blood flow without cortical venous reflux or brain oedema (figure 1B and C). Because the patient showed no signs of neurological deficits, treatment was continued, as planned, with heparin anticoagulation.²

To our knowledge, this is the first report of cerebral venous central thrombosis during IA-RT. We hypothesised four possible reasons for venous central thrombosis: (1) the indwelling catheter in; (2) the radiation induced endothelial damage; (3) the intravenous sodium thiosulfate caused phlebitis; and (4) the maxillary sinus cancer itself induced coagulopathy. The venous thrombus gradually reduced in size, and the planned course of IA-RT was completed.

Contributors SO wrote this case report. YS contributed to the preparation and writing of the report. HM contributed to the selection of the photos. TY approved the final version.

Competing interests None declared.

Figure 1 Cerebral venous thrombus is present in the left transverse sigmoid sinus, interrupting blood flow (white arrows).

Learning points

- ▶ It is possible that cerebral venous central thrombosis is complicated by intra-arterial infusion.
- ▶ Patients sometimes show no signs of neurological deficits. Hence, regular diagnostic imaging is needed.
- ▶ We hypothesise that the cerebral venous central thrombosis was caused by the catheter, irradiation, medications or coagulopathy.

Patient consent Obtained.

Provenance and peer review Not commissioned; externally peer reviewed.

© BMJ Publishing Group Ltd (unless otherwise stated in the text of the article) 2017. All rights reserved. No commercial use is permitted unless otherwise expressly granted.

REFERENCES

- 1 Suzuki S, Yasunaga H, Matsui H, et al. Cerebral infarction after intraarterial and intravenous chemoradiotherapy for head and neck cancer: A retrospective analysis using a Japanese inpatient database. *Head Neck* 2016;38:1354–8.
- 2 Rim HT, Jun HS, Ahn JH, et al. Clinical aspects of cerebral venous thrombosis: experiences in two institutions. *J Cerebrovasc Endovasc Neurosurg* 2016;18:185–93.

CrossMark

To cite: Okamura S, Saito Y, Mori H, et al. *BMJ Case Rep* Published Online First: [please include Day Month Year]. doi:10.1136/bcr-2017-220591

Copyright 2017 BMJ Publishing Group. All rights reserved. For permission to reuse any of this content visit <http://group.bmj.com/group/rights-licensing/permissions>.
BMJ Case Report Fellows may re-use this article for personal use and teaching without any further permission.

Become a Fellow of BMJ Case Reports today and you can:

- ▶ Submit as many cases as you like
- ▶ Enjoy fast sympathetic peer review and rapid publication of accepted articles
- ▶ Access all the published articles
- ▶ Re-use any of the published material for personal use and teaching without further permission

For information on Institutional Fellowships contact consortiasales@bmjgroup.com

Visit casereports.bmj.com for more articles like this and to become a Fellow