



OPEN ACCESS

Call for emergency action to limit global temperature increases, restore biodiversity, and protect health

Lukoye Atwoli,¹ Abdullah H Baqui,² Thomas Benfield,³ Raffaella Bosurgi,⁴ Fiona Godlee,⁵ Stephen Hancocks,⁶ Richard Horton,⁷ Laurie Laybourn-Langton,⁸ Carlos Augusto Monteiro,⁹ Ian Norman,¹⁰ Kirsten Patrick,¹¹ Nigel Praities,¹² Marcel GM Olde Rikkert,¹³ Eric J Rubin,¹⁴ Peush Sahni,¹⁵ Richard Smith,⁸ Nicholas J Talley,¹⁶ Sue Turale,¹⁷ Damián Vázquez¹⁸

Wealthy nations must do much more, much faster.

For numbered affiliations see end of article.

Correspondence to

Mr Laurie Laybourn-Langton, UK Health Alliance on Climate Change, C/O BMJ Publishing Group, Tavistock Square, London WC1H 9JR, UK; laurie.laybourn@ukhealthalliance.org

Accepted 19 August 2021

The United Nations General Assembly in September 2021 will bring countries together at a critical time for marshalling collective action to tackle the global environmental crisis. They will meet again at the biodiversity summit in Kunming, China, and the climate conference (Conference of the Parties (COP)26) in Glasgow, UK. Ahead of these pivotal meetings, we—the editors of health journals worldwide—call for urgent action to keep average global temperature increases below 1.5°C, halt the destruction of nature and protect health.

Health is already being harmed by global temperature increases and the destruction of the natural world, a state of affairs health professionals have been bringing attention to for decades.¹ The science is unequivocal; a global increase of 1.5°C above the preindustrial average and the continued loss of biodiversity risk catastrophic harm to health that will be impossible to reverse.^{2,3} Despite the world's necessary preoccupation with COVID-19, we cannot wait for the pandemic to pass to rapidly reduce emissions.

Reflecting the severity of the moment, this editorial appears in health journals across the world. We are united in recognising that only fundamental and equitable changes to societies will reverse our current trajectory.

The risks to health of increases above 1.5°C are now well established.² Indeed, no temperature rise is 'safe'. In the past 20 years, heat-related mortality among people aged over 65 has increased by more than 50%.⁴ Higher temperatures have brought increased dehydration and renal function loss, dermatological malignancies, tropical infections, adverse mental health outcomes, pregnancy complications, allergies, and cardiovascular and pulmonary morbidity and mortality.^{5,6} Harms disproportionately affect the most vulnerable, including children, older populations, ethnic minorities, poorer communities and those with underlying health problems.^{2,4}

Global heating is also contributing to the decline in global yield potential for major crops, falling by 1.8%–5.6% since 1981; this, together with the effects of extreme weather and soil depletion, is hampering efforts to reduce

undernutrition.⁴ Thriving ecosystems are essential to human health, and the widespread destruction of nature, including habitats and species, is eroding water and food security and increasing the chance of pandemics.^{3,7,8}

The consequences of the environmental crisis fall disproportionately on those countries and communities that have contributed least to the problem and are least able to mitigate the harms. Yet no country, no matter how wealthy, can shield itself from these impacts. Allowing the consequences to fall disproportionately on the most vulnerable will breed more conflict, food insecurity, forced displacement and zoonotic disease, with severe implications for all countries and communities. As with the COVID-19 pandemic, we are globally as strong as our weakest member.

Rises above 1.5°C increase the chance of reaching tipping points in natural systems that could lock the world into an acutely unstable state. This would critically impair our ability to mitigate harms and to prevent catastrophic, runaway environmental change.^{9,10}

GLOBAL TARGETS ARE NOT ENOUGH

Encouragingly, many governments, financial institutions and businesses are setting targets to reach net-zero emissions, including targets for 2030. The cost of renewable energy is dropping rapidly. Many countries are aiming to protect at least 30% of the world's land and oceans by 2030.¹¹

These promises are not enough. Targets are easy to set and hard to achieve. They are yet to be matched with credible short-term and longer-term plans to accelerate cleaner technologies and transform societies. Emissions reduction plans do not adequately incorporate health considerations.¹² Concern is growing that temperature rises above 1.5°C are beginning to be seen as inevitable, or even acceptable, to powerful members of the global community.¹³ Relatedly, current strategies for reducing emissions to net zero by the middle of the century implausibly assume that the world will acquire great capabilities to remove greenhouse gases from the atmosphere.^{14,15}

This insufficient action means that temperature increases are likely to be well in excess of 2°C,¹⁶ a catastrophic outcome for health and environmental



© BMJ Publishing Group Limited 2021. Re-use permitted under CC BY. Published by BMJ.

To cite: Atwoli L, H Baqui A, Benfield T, et al. *BMJ Case Rep* 2021;**14**:e246388. doi:10.1136/bcr-2021-246388

Case report

stability. Critically, the destruction of nature does not have parity of esteem with the climate element of the crisis, and every single global target to restore biodiversity loss by 2020 was missed.¹⁷ This is an overall environmental crisis.¹⁸

Health professionals are united with environmental scientists, businesses and many others in rejecting that this outcome is inevitable. More can and must be done now—in Glasgow and Kunming—and in the immediate years that follow. We join health professionals worldwide who have already supported calls for rapid action.¹⁹

Equity must be at the centre of the global response. Contributing a fair share to the global effort means that reduction commitments must account for the cumulative, historical contribution each country has made to emissions, as well as its current emissions and capacity to respond. Wealthier countries will have to cut emissions more quickly, making reductions by 2030 beyond those currently proposed^{20 21} and reaching net-zero emissions before 2050. Similar targets and emergency action are needed for biodiversity loss and the wider destruction of the natural world.

To achieve these targets, governments must make fundamental changes to how our societies and economies are organised and how we live. The current strategy of encouraging markets to swap dirty for cleaner technologies is not enough. Governments must intervene to support the redesign of transport systems, cities, production and distribution of food, markets for financial investments, health systems, and much more. Global coordination is needed to ensure that the rush for cleaner technologies does not come at the cost of more environmental destruction and human exploitation.

Many governments met the threat of the COVID-19 pandemic with unprecedented funding. The environmental crisis demands a similar emergency response. Huge investment will be needed, beyond what is being considered or delivered anywhere in the world. But such investments will produce huge positive health and economic outcomes. These include high-quality jobs, reduced air pollution, increased physical activity, and improved housing and diet. Better air quality alone would realise health benefits that easily offset the global costs of emissions reductions.²²

These measures will also improve the social and economic determinants of health, the poor state of which may have made populations more vulnerable to the COVID-19 pandemic.²³ But the changes cannot be achieved through a return to damaging austerity policies or the continuation of the large inequalities of wealth and power within and between countries.

COOPERATION HINGES ON WEALTHY NATIONS DOING MORE

In particular, countries that have disproportionately created the environmental crisis must do more to support low-income and middle-income countries to build cleaner, healthier and more resilient societies. High-income countries must meet and go beyond their outstanding commitment to provide \$100 billion a year, making up for any shortfall in 2020 and increasing contributions to and beyond 2025. Funding must be equally split between mitigation and adaptation, including improving the resilience of health systems.

Financing should be through grants rather than loans, building local capabilities and truly empowering communities, and should come alongside forgiving large debts, which constrain the agency of so many low-income countries. Additional funding must be marshalled to compensate for

inevitable loss and damage caused by the consequences of the environmental crisis.

As health professionals, we must do all we can to aid the transition to a sustainable, fairer, resilient and healthier world. Alongside acting to reduce the harm from the environmental crisis, we should proactively contribute to global prevention of further damage and action on the root causes of the crisis. We must hold global leaders to account and continue to educate others about the health risks of the crisis. We must join in the work to achieve environmentally sustainable health systems before 2040, recognising that this will mean changing clinical practice. Health institutions have already divested more than \$42 billion of assets from fossil fuels; others should join them.⁴

The greatest threat to global public health is the continued failure of world leaders to keep the global temperature rise below 1.5°C and to restore nature. Urgent, society-wide changes must be made and will lead to a fairer and healthier world. We, as editors of health journals, call for governments and other leaders to act, marking 2021 as the year that the world finally changes course.

Author affiliations

- ¹East African Medical Journal, Nairobi, Kenya
- ²Journal of Health, Population and Nutrition, Baltimore, Maryland, USA
- ³Danish Medical Journal, Copenhagen, Denmark
- ⁴PLOS Medicine, Cambridge, UK
- ⁵The BMJ, London, UK
- ⁶British Dental Journal, London, UK
- ⁷The Lancet, London, UK
- ⁸UK Health Alliance on Climate Change, London, UK
- ⁹Revista de Saúde Pública, São Paulo, Brazil
- ¹⁰International Journal of Nursing Studies, London, UK
- ¹¹CMAJ, Ottawa, Ontario, Canada
- ¹²Pharmaceutical Journal, London, UK
- ¹³Dutch Journal of Medicine, Nijmegen, The Netherlands
- ¹⁴NEJM, Boston, Massachusetts, USA
- ¹⁵National Medical Journal of India, New Delhi, India
- ¹⁶Medical Journal of Australia, Newcastle, New South Wales, Australia
- ¹⁷International Nursing Review, Geneva, Switzerland
- ¹⁸Pan American Journal of Public Health, Washington, DC, USA

Funding The authors have not declared a specific grant for this research from any funding agency in the public, commercial or not-for-profit sectors.

Editor's note This editorial is being published simultaneously in many international journals. Please see the full list here: <https://www.bmj.com/content/full-list-authors-and-signatories-climate-emergency-editorial-september-2021>

Competing interests FG serves on the executive committee for the UK Health Alliance on Climate Change and is a trustee of the Eden Project. RS is the chair of Patients Know Best, has stock in UnitedHealth Group, has done consultancy work for Oxford Pharmacogenesis and is chair of the Lancet Commission on the Value of Death.

Patient and public involvement Patients and/or the public were not involved in the design, or conduct, or reporting, or dissemination plans of this research.

Patient consent for publication Not required.

Provenance and peer review Commissioned; internally peer reviewed.

Open access This is an open access article distributed in accordance with the Creative Commons Attribution 4.0 Unported (CC BY 4.0) license, which permits others to copy, redistribute, remix, transform and build upon this work for any purpose, provided the original work is properly cited, a link to the licence is given, and indication of whether changes were made. See: <https://creativecommons.org/licenses/by/4.0/>.

REFERENCES

- 1 In support of a health recovery. Available: <https://healthyrecovery.net>
- 2 Intergovernmental panel on climate change. summary for policymakers. in: global warming of 1.5°C. An IPCC special report on the impacts of global warming of 1.5°C

- above pre-industrial levels and related global greenhouse gas emission pathways, in the context of strengthening the global response to the threat of climate change, sustainable development, and efforts to eradicate poverty, 2018. Available: <https://www.ipcc.ch/sr15/>
- 3 Intergovernmental Science-Policy platform on biodiversity and ecosystem services. summary for policymakers: the global assessment report on biodiversity and ecosystem services, 2019. Available: https://ipbes.net/sites/default/files/2020-02/ipbes_global_assessment_report_summary_for_policymakers_en.pdf
 - 4 Watts N, Amann M, Arnell N, *et al.* The 2020 report of the Lancet countdown on health and climate change: responding to converging crises. *Lancet* 2021;397:129–70.
 - 5 Rocque RJ, Beaudoin C, Ndjaboue R, *et al.* Health effects of climate change: an overview of systematic reviews. *BMJ Open* 2021;11:e046333.
 - 6 Haines A, Ebi K. The imperative for climate action to protect health. *N Engl J Med* 2019;380:263–73.
 - 7 United Nations Environment Programme and International Livestock Research Institute. Preventing the next pandemic: zoonotic diseases and how to break the chain of transmission, 2020. Available: https://72d37324-5089-459c-8f70-271d19427cf2.filesusr.com/ugd/056cf4_b5b2fc067f094dd3b2250cda15c47acd.pdf
 - 8 IPCC. Summary for policymakers. In: *Climate change and land: an IPCC special report on climate change, desertification, land degradation, sustainable land management, food security, and greenhouse gas fluxes in terrestrial ecosystems*, 2019.
 - 9 Lenton TM, Rockström J, Gaffney O, *et al.* Climate tipping points—too risky to bet against. *Nature* 2019;575:592–5.
 - 10 Wunderling N, Donges JF, Kurths J, *et al.* Interacting tipping elements increase risk of climate domino effects under global warming. *Earth Syst Dynam* 2021;12:601–19.
 - 11 High ambition coalition. Available: <https://www.hacfornatureandpeople.org>
 - 12 Global Climate and Health Alliance. Are national climate commitments enough to protect our health? Available: <https://climateandhealthalliance.org/initiatives/healthy-ndcs/ndc-scorecards/>
 - 13 Climate strikers: Open letter to EU leaders on why their new climate law is 'surrender.' Carbon Brief, 2020. Available: <https://www.carbonbrief.org/climate-strikers-open-letter-to-eu-leaders-on-why-their-new-climate-law-is-surrender>
 - 14 Fajardy M, Köberle A, MacDowell N, *et al.* "BECCS deployment: a reality check." Grantham Institute briefing paper 28, 2019. Available: <https://www.imperial.ac.uk/media/imperial-college/grantham-institute/public/publications/briefing-papers/BECCS-deployment-a-reality-check.pdf>
 - 15 Anderson K, Peters G. The trouble with negative emissions. *Science* 2016;354:182–3.
 - 16 Climate action tracker. Available: <https://climateactiontracker.org>
 - 17 Secretariat of the convention on biological diversity. global biodiversity outlook 5, 2020. Available: <https://www.cbd.int/gbo5>
 - 18 Steffen W, Richardson K, Rockström J, *et al.* Sustainability. planetary boundaries: guiding human development on a changing planet. *Science* 2015;347:1259855.
 - 19 UK Health Alliance. Our calls for action. Available: <http://www.ukhealthalliance.org/cop26/>
 - 20 Climate Action Tracker. Warming projections global update: may 2021. Available: https://climateactiontracker.org/documents/853/CAT_2021-05-04_Briefing_Global-Update_Climate-Summit-Momentum.pdf
 - 21 United Nations Environment Programme. *Emissions gap report 2020*. UNEP, 2020.
 - 22 Markandya A, Sampedro J, Smith SJ, *et al.* Health co-benefits from air pollution and mitigation costs of the Paris agreement: a modelling study. *Lancet Planet Health* 2018;2:e126–33.
 - 23 Paremoer L, Nandi S, Serag H, *et al.* Covid-19 pandemic and the social determinants of health. *BMJ* 2021;372:n129.

Copyright 2021 BMJ Publishing Group. All rights reserved. For permission to reuse any of this content visit <https://www.bmj.com/company/products-services/rights-and-licensing/permissions/>
BMJ Case Report Fellows may re-use this article for personal use and teaching without any further permission.

Become a Fellow of BMJ Case Reports today and you can:

- ▶ Submit as many cases as you like
- ▶ Enjoy fast sympathetic peer review and rapid publication of accepted articles
- ▶ Access all the published articles
- ▶ Re-use any of the published material for personal use and teaching without further permission

Customer Service

If you have any further queries about your subscription, please contact our customer services team on +44 (0) 207111 1105 or via email at support@bmj.com.

Visit casereports.bmj.com for more articles like this and to become a Fellow